



# **Unified Communications**

Technical Support and Trouble Shooting Guide

Page 1 of 10

## Content

1.	Setup / Connection / Installation	3
2.	Common Fault / Quality Problem	4
3.	Common Problems of Value Added Service	7
4.	Communication Manager User Portal (For General User)	8
5.	Communication Manager For Administrator (For Admin only)	10

### 1. Setup / Connection / Installation

#### Q1. How to setup / Install Unified Communications IP Phone

A1.

- Please connect the Unified Communications IP Phone with Power and Internet as below
  - i. Connect the "Internet" port to the broadband socket or your network router (if any)ii. Connect the "PC" port to local personal computer (optional). It would be subject to
  - Customer's Broadband connection and network equipment.
- iii. Connect the Power Adapter to the "DC" port, while the other end connects to the power socket.



- Q2. What kind of network connection supported in Unified Communications service? Can I connect Unified Communications IP phone via DHCP or PPPoE broadband connection?
- A2. HKBN Unified Communications must be connected with DHCP broadband connection. If you are using PPPoE broadband, it is suggested to connect it to an IP sharer or router to provide DHCP connection to our Unified Communications IP Phone.
- Q3. What is the IP Phone Screen Display & LED indicators under normal situation?
- A3.

When the IP Phone is connecting with power and internet, its screen and LED will display as below:

Phone Model	Т60Р	
Screen	Service No. will be shown	Power LED
Power LED	RED = Power connected	
LED Key	No light = line ready for use	21338363

Phone Model	Т65Р	IP PHONE
Screen	Service No. will be shown	
Power LED	RED = Power connected	Power LED
LED Key	No light = line ready for use	
		LED Key

# 2. Common Fault / Quality Problem

- Q4. All Lines cannot be used for Incoming and Outgoing Call phone screen display message "Network unavailable" / "Network Unavail."
- A4.
- i. IP Phone screen display **Network Unavail / Network Unavailable**, it means your IP phone set did not connect to internet.



Phone Model	Т65Р	IP PHONE	
Screen	<b>Network Unavailable =</b> Phone set did not connect to internet	14:48:47	
LED Key	RED light = Phone cannot be used	Menu DND History Dir	
		LED Key	1

- ii. Please check whether the network cable is connected to the "Internet" port of the IP phone. Unplug and plug in the network cable again. Then, unplug and re-plug the Power Adapter to restart the IP phone.
- iii. If the problem still exists, please unplug your broadband / internet cable and connect it to your PC directly to test the internet connectivity
  - If your PC is able to connect to Internet, please contact our customer service hotline.
  - If your PC still failed to connect to Internet, please contact your internet service provider to check the broadband connection.

- Q5. All Lines cannot be used for Incoming and Outgoing Call phone screen display message "No Service".
- A5.
- i. IP Phone screen display **No Service**, it means your IP phone set cannot connect to HKBN Network.

Phone Model	Т60Р		
Screen	<b>No Service</b> = SIP phone cannot connect to HKBN network	No service 13 Jun 11 41	
LED Key	RED light = Phone cannot be used		2
		LED Key	

Phone Model	Т65Р	IF	PHONE	S
Screen	<b>No Service</b> = SIP phone cannot connect to HKBN network	1	08:01:09	
LED Key	<b>RED light =</b> Phone cannot be used		Menu DND History Dir	
			LED Key	

- ii. Please check the network cable connected to the "Internet" port of the IP phone to see whether it is connected. Unplug and plug in the network cable again. Then, unplug and re-plug the Power Adapter to restart the IP phone.
- iii. If problem still exist, please unplug your broadband / internet cable and connect it to your PC directly to test the internet connectivity
  - If your PC is able to connect to Internet, please check and make sure that following ports are not blocked in your Firewall / Router / Network. Please check with your system or network administrator if needed:

Phone SIP* Port	SIP Service Port min	19060	
	SIP Service Port max	19099	
Phone RTP <sup>^</sup> Port	RTP port min	11780	
	RTP port max	11800	
Remote SIP Service IP	203.176.254.230		
Remote SIP Service Port		9060	
Remote RTP IP		203.176.254.230	
Remote RTP port range		50000~65535	

IP Address / Port	Major purpose	
Remote SIP Service IP	To connect HKPN Unified Communications	
SIP Service Port (Max/Min)	ro connect finding of the continuations	
Remote SIP Service Port	server and SIP registration.	
Remote RTP IP	DTD connection for voice traffic	
RTP Port (Max/Min)		
Remote RTP port range		

\* Session Initiation Protocol (SIP)

^ Real-time Transport Protocol (RTP)

• If your PC still failed to connect to Internet, please contact your internet service provider to check the broadband connection.

- Q6. Part of telephone lines cannot be used for make / receive call, what should I do?
- A6.
- i. Please check whether the network cable is connected to the "Internet" port of the IP phone. Unplug and plug in the network cable again. Then, unplug and re-plug the Power Adapter to restart the IP phone.
- ii. Try to connect the telephone to another network socket
- iii. If problem still exist, please unplug your broadband / internet cable and connect it to your PC directly to test the internet connectivity
  - If your PC is able to connect to Internet, please contact our customer service hotline.
  - If your PC still failed to connect to Internet, please contact your internet service provider to check the broadband connection.
- Q7. If I can make call, but fail to receive call...
- A7.
- Please check whether IP phone feature **Do Not Disturb** is activated or not. If it is enabled, you would see "**DND**" indicator on the phone LED screen. You can disable it by press "**DND**" button once.

If there is no "**DND**" indicator, you may press short code #96 to cancel the Do Not Disturb (in case the **Do Not Disturb** is activated thru short code \*96)

- ii. Please check whether **Call Forward** is activated or not. You can disable it by press short code #81 or #77
- Please check whether Black list / White list feature enable or not. (via Communication Manager user portal\*: Communication Manager user portal > Service Profile > Incoming Feature)
- iv. Please check Phone Online status via Communication Manager user portal\*
- v. Please check Phone Presence status via Communication Manager user portal\*

\* For details setting of Communication Manager User Portal, please refer to our Communication Manager Portal User Quick Guide.

- Q8. If I can receive the extension call, but fail to receive outside call...
- A8. Please check the **White List** in the Communication Manager user portal (Portal>Service profile>Incoming feature>White list). Whenever the **White List** is enabled, only the number in **White List** and extension number can call-in.
- Q9. I cannot make any call (internal and external), the dialing number is correct. The phone set does not have any respond / sound
- A9.
- i. Please check what is the IP phone screen display and the indicator and refer to the answer of Q3 & Q4.
- ii. If the IP phone screen & LED signal is normal, please check whether the problem happen in using Handset, Speaker or Headset. Please test to make call by using Handset, Speaker and Headset
- iii. If problem happens on using Handset only, please contact our Customer Service Hotline to arrange Handset replacement.
- iv. If problem found on Speaker and Headset, please contact our Customer Service Hotline to arrange further test.
- Q10. When I was on the phone, the call suddenly dropped...
- A10. Please check the connection of broadband. Mark down the timestamp and report to HKBN.
  - i. Please check what is the IP phone screen display and the indicator and refer to the answer of Q3 & Q4.
  - ii. If the IP phone screen & LED signal is normal, please check and make sure that following ports are not blocked in your Firewall / Router / Network:

Phone SIP* Port	SIP Service Port min	19060
	SIP Service Port max	19099
Phone RTP^ Port RTP port min		11780
	RTP port max	11800
Remote SIP Service IP		203.176.254.230
Remote SIP Service Port		9060
Remote RTP IP		203.176.254.230
Remote RTP port range		50000~65535

IP Address / Port	Major purpose	
Remote SIP Service IP	To connect HKPN LIC convertion	
SIP Service Port (Max/Min)	registration	
Remote SIP Service Port	registration.	
Remote RTP IP	BTD connection for voice troffic	
RTP Port (Max/Min)	transmission	
Remote RTP port range		

\* Session Initiation Protocol (SIP)

^ Real-time Transport Protocol (RTP)

- Q11. No matter handset or speaker I use, there is an echo / voice quality problem.
- A11. Please check the bandwidth of your broadband service and please note our UC service required bandwidth: The bandwidth for voice call is about 100kbps. The bandwidth for video call is about 700kbps.
- Q12. What is the bandwidth needed for voice call and video call?
- A12. The bandwidth for voice call is about 100kbps. The bandwidth for video call is about 700kbps.

#### 3. Common Problems of Value Added Service

- Q13. What should I do if I forgot Voice Mail password?
- A13. You can change the voice mail password in Communication Manager User portal\*. Login Portal > Service Profile > Change Password

Call History Voice Mail	Phone Book Service Profile
∞ My Profile	• Personal Data
Personal Data Change Password Long distance call Caller Number Display Phone Online Alert Language	Name: E-mail:
Call Forward	
Call Waiting	
Presence	
Incoming Feature	
Value Added Service	

Click Voice Mail Password > enter the new passwords and Save

☆ Change Password	O Voice mail password
User Login Password Voice Mail Password	New password:
Password Do Not Disturb Password	(4~8 digits) Re-type password:
Remote Call Forward Activation and Presence Mode	
Change Password	
	🛞 Save 🛞 Close

\* For details setting of Communication Manager User Portal, please refer to our Communication Manager Portal User Quick Guide.

- Q14. What should I do if I cannot receive the Voice mail notification by email?
- A14. You can check if any email address has been registered with your service in Communication Manager User Portal. (Login Portal > Service Profile) If no email registered, please contact your Administrator to setup email address in Communication Administrator Portal.

Call History	Voice Mail	Phone Book	Service Profile
✤ My Profile		O Personal Data	3
Personal Da Change Pas Long distanc Caller Numb Display Phone Online Alert Langua	ta sword xe call er e ge	Email address will	Name: E-mail: XXXabc@abcdxxxemail.com be used to receive Fax Notification, Voicemail Notification and Password Retrieval.

If there is email registered, please check whether you have select the option "Alert to e-mail address" (Login Portal > Service Profile > Value Added Service > Voice Mail)

Call History Voice Ma	il Phone Book	Service Profile
My Profile	O Voice mail	
Call Forward		
Call Waiting	Alert Setting	
Presence		Alert to e-mail address : Ves
Incoming Feature	Language Setting	
Value Added Service		Greeting Language 1 : Cantonese 💌
		Greeting Language 2 : System default 💌
WebFax		Mailbox Language : English 🚽
Voice Mail		
Speed Dialing		
Do Not Disturb		
Time Reminder		

\* For details setting of Communication Manager User Portal, please refer to our Communication Manager Portal User Quick Guide.

If there is no problem found on above setting, please contact HKBN Customer Service Hotline for further follow up.

#### 4. Communication Manager User Portal (For General User)

Q15. What should I do if I forgot the Communication Manager portal password?

- A15. There are 3 ways to reset / retrieve the password:
  - i. Please contact your Unified Communications Administrator to reset your password at Communication Manager Administrator Portal.
  - ii. If your Unified Communications Administrator already registered email address for you, you can simply get back the password via Communication Manager portal:
    - Access Communication Manager User Portal
    - Click the link of "Forgot Password"
    - Enter your either your service number or the registered email address in the portal.
    - Press "Submit"

Your password will be sent to your registered email address.

Communication Manager	
Service Number Password	Forgot Password     Remember Service Number
Forgot Password Please input either service number or registered email to retrieve your password.	

Service Number	
Registered email	
	Password Reset
	Submit The password will be sent to your registered email address.

- iii. If your Unified Communications Administrator didn't register your email address in the portal or you forgot the email address, please visit our website and follow below steps to reset your password.
  - a) Access hkbnes.net/en/accountservices
  - b) Choose Other Services and click Unified Communication
  - c) In the Unified Communications section, click Forget Username / Password

Unified Communications Username / Service Number: Password:	S Submit > Reset
Forget Username / Password	To login your web portal of Unified Communications.

- d) Select Customer Type as "Business"
- e) Select and enter your "Business Registration Number" first 6 digits
- f) Select Service Type as "Unified Communication"
- g) Enter your Unified Communication service number, and then click "Submit".
- h) Our customer service will follow up your request by next working day.

	Reset Password		
$\sim$	Reset Password		
	Please provide the following information to reset your Password. Fields with an asterisk (*) are mandatory		
	* Customer Type : <ul> <li>Consumer</li> </ul>	⊖ Business	
	*1. Customer Information :		
	<ul> <li>HKID (First 4 digits, including English alphabet)</li> </ul>		
	O Passport / Business Registration Number (First 6 digits, including English alphabet)		
	*2. Service Information :		
	Service	Unified Communications V	
	Service Number		
	Back Reset Submit >		

# 5. Communication Manager For Administrator (For Admin only)

Q16. What should I do if I forgot the Communication Manager Administrator portal password? A16. There are 2 ways to reset / retrieve the password:

- i. If you had already registered email address in the Communication Manager Administrator portal, you can get back the password in the Communication Manager Administrator portal:
  - Access Communication Manager Administrator portal
  - Click the link of "Forgot Password"
  - Enter your either your Login Name or the registered email address in the portal.
  - Press "Submit"

Your password will be sent to your registered email address.

Welcome to Co Administration Login	ommunication Manager
Login Name Password	Forgot Password      Login     Reset
	This site is best viewed with broadband and Microsoft Explorer 6.0 SP2. Screen resolution of 1024 x 768 or above is recommended.
Forgot F	Password
Err	Login Name aail Address Submit

ii. If you didn't register email address in the Communication Manager Administrator portal or forgot the email address. Please contact HKBN Customer Service Hotline for reset password.