

HKBN Email Setting Guide

La construcción de composition	Coming Names and Alamatic and Ala
incoming server:	Server Name: pop3.bbmail.com.nk
	Port: 110
	SSL: NO
	Login ID: Full email address (e.g. test@hkbn.com.hk)
	Password: Customer set password
	·
	Or
	Server Name: pop3.bbmail.com.hk
	Port: 995
	Login ID: Full amail address (a.g. tast@hkhn.com.hk)
	Login ID. Full entail address (e.g. test@hkbh.com.nk)
	Password: Customer set password
Outgoing Server:	Sorver Name: homeguy hhmail com hk
	Server Name. nomegw.ppman.com.nk
	Port: 465
	Port: 465
	Server Name, homegw.bbman.com.nk Port: 465 SSL: Require (All Authentication)
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk)
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password
	Port: 465 SSL: Require (All Authentication) Login ID: Full email address (e.g. test@hkbn.com.hk) Password: Customer set password

HKBN Email Server Information (Recommended For Mobile/ Laptop/ Tablet Device)

Incoming server:	Server: imap.bbmail.com.hk
	Port· 993
	Convertient CCL /TLC [For Andresid Devices CCL /TLC / 按亞
	Security: SSL/TLS [For Android Device: SSL/TLS (接受
	所有憑證)]
	Authentication: PLAIN
Outgoing server:	Server: homegw hhmail com hk
Outgoing server:	Server: homegw.bbmail.com.hk
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)]
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN
Outgoing server:	Server: homegw.bbmail.com.hk Port: 465 Security: SSL/TLS [For Android Device: SSL/TLS (接受 所有憑證)] Authentication: Automatic or PLAIN

1) Open Outlook 2016 / Outlook 365, select "File"

<u>開啟 Outlook 2016 / Outlook 365 選擇 "檔案"</u>

File	Home	Send / Re	ceive	Folder	View	He	elp 🤇	Tell me what	t you want to do
New New Email Item		lgnore Clean Up ∓ Junk ∓	Delete Ar	rchive	Reply	Reply All	Forward	🖳 Meeting	Move to: ?
New		Del	ete			F	Respond		Quick

2) Select "Add Account"

選擇 "新增帳戶"

Save Attachments	+ Add Account
Print	Account Settings Change settings for this account or set up more connections. Account Access this account on the web.
Office Account	Settings * https://outlook.office365.com/owa/hkbn.com.hk/ Get the Outlook app for iPhone, iPad, Android, or Windows 10 Mobile.
Support	<u>Change</u>
Options	Automatic Replies (Out of Office)
Exit	Use automatic replies to notify others that you are out of office, on vacation, or not available to respond to email messages. Replies

3) Type your "Email Account" and check Let me set up my account manually and click "Connect"

輸入您的電子郵件地址,選取[進階選項],核取方塊[讓我手動設定我的帳戶],然後選取[連線]



4) Choose POP3 or IMAP depending on User's Requirement

視乎用戶需求,選擇 POP3 或 IMAP



5) Input the server information mentioned on page 1 and press next

輸入於第一頁提供之伺服器資料,並按下一步

範例1)使用 pop3.bbmail.com.hk

Example 1: Using pop3.bbmail.com.hk as Incoming mail Server

Incoming server:				
Server Name: pop3.bbmail.com.hk	Server Name: pop3.bbmail.com.hk			
Port: 110	Port: 995			
SSL: NO	SSL: SSL/TLS			
Login ID: Full email address (e.g. test@hkbn.com.hk)	Login ID: Full email address (e.g. test@hkbn.com.hk)			
Password: Customer set password	Password: Customer set password			
Outgoin	g server:			
Server Name: homegw.bbmail.com.hk				
Port: 465				
SSL: SSL/TLS				

FOF Account Settings	(1)	TOT Account Settings	
test@hkbn.com.hk	(Not you:)	test@hkbn.com.hk (N	ot you
Incoming mail		Incoming mail	
Server pop3.bbmail.com.hk Po	ort 110	Server pop3.bbmail.com.hk Port 995	1
This server requires an encrypted connection (S	SSL/TLS)	This server requires an encrypted connection (SSL/TLS)	
Require logon using Secure Password Authenti	cation (SPA)	Require logon using Secure Password Authentication (SPA)	
Outgoing mail		Outgoing mail	
Server homegw.bbmail.com.hk P	ort 465	Server homegw.bbmail.com.hk Port 465	1
Encryption method SSL/TLS -		Encryption method SSI/TIS	1
Require logon using Secure Password Authenti	cation (SPA)	Require Jonan using Secure Parsword Authentication (SPA)	
Message delivery			
Use an existing data file		Message delivery	
Browse		Use an existing data file	
		Browse	
Go back	Next		

Example 2: Using imap.bbmail.com.hk as Incoming mail Server

Incoming server:

Server: imap.bbmail.com.hk

Port: 993 Security: SSL/TLS

Outgoing server:

Port: 465 Security: SSL/TLS

	×
IMAP Account Settings test@hkbn.com.hk	(Not you?)
Incoming mail	
Server imap.bbmail.com.hk	Port 993
Encryption method SSL/TLS 🔻	
Require logon using Secure Password Auth	hentication (SPA)
Outgoing mail	
Server homegw.bbmail.com.hk	Port 465
Encryption method SSL/TLS 🔽 🤸	
Require logon using Secure Password Auth	hentication (SPA)



Go back

6) Input your "Email Account" Password, and press Connect

輸入用戶的電子郵件密碼,並按連線

test@hkbn.com.hk	(Not you?)
Password	
*****	<u>م</u>



Go back

Email client setting - Windows Mail (Windows 10/Windows 11 Built In Application)

1) Open Windows Mail, Click on Accounts, Select Add Account.

開啟 Windows Mail, 選擇帳戶, 選擇右方的新增帳戶

Mail		- 🗆 X
≡	Search $ ho$ $ ho$ $orall$	Manage accounts
+ New mail	All 🗸	Select an account to edit settings.
Accounts		C Link inboxes
		+ Add account

2) Scroll to the bottom and click Advanced setup

捲動到最下方並選擇進階設定

iCloud	
Other account POP, IMAP	
Advanced setup	
	X Close

3) Select Internet email

選擇"網絡電子郵件

Advanced setup

Choose the kind of account you want to setup. If you're not sure, check with your service provider.

Exchange ActiveSync

Includes Exchange and other accounts that use Exchange ActiveSync.

Internet email

POP or IMAP accounts that let you view your email in a web browser.

4) Input the below information according to the requirement below, then click sign in.

按照以下指示輸入您的帳戶資料,然後登入

請注意,用戶名稱一欄,用戶是需要輸入完整的電子郵件地址

Reminder: For Username Session, customer are required to input full email address

Email address
test@hkbn.com.hk
User name
test@hkbn.com.hk
Examples: kevinc, kevinc@contoso.com, domain\kevinc
Password
•••••
Account name
Test
Send your messages using this name
Test
Incoming email server
imap.bbmail.com.hk
Account type
IMAP4 ~
Outgoing (SMTP) email server
homegw.bbmail.com.hk
Outgoing server requires authentication
✓ Use the same user name and password for sending email
Require SSL for incoming email
Require SSL for outgoing email

Microsoft Outlook 2013

1) Open Outlook 2013, select "File"

開啟 Outlook 2013 選擇 "檔案"



2) Select "Add Account"

選擇 "新增帳	戶" "
E	
資訊	帳戶資訊
開啟和匯出	 無可用帳戶,請新道電子鄧件帳戶,以啟用其他功能。 ● 新增帳戶
お伊利爾	帳戶設定 模更此帳戶的設定或設定更多連線。
列印	₩97./~ Rix.AL ▼
Office 帳戶	信箱清理 清空删除的項目和封存,以管理信箱大小。
選項	""""""""""""""""""""""""""""""""""""""

3) Select "Email Account" and click "Next"

選擇 "電子郵件帳戶",並按 "下一步"

●電子郵件帳戶() 通知予想网络客服務提供者(KD)。	城市的公司所提供的言子			
◎ 其他(0)	1 2 1 1 1 2 1 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	34PTT 11x/		
連線全下列顯示的伺服器類型。 Fax Mail Transport				

4) Select "Manual setup or additional server types" and click "Next"

選擇 "手動設定或其他伺服器類型",並按 "下一步"

自動帳戶設定 手動設定帳戶或選	線至其他伺服器類型。	×	2
◎ 電子郵件帳戶(A)			
您的名稱(Y):	節例: 		
電子郵件地址(E):	範例: ellen@contoso.com		
密碼(P): 重新鍵人密碼(II):	建入網際網路服務提供者給您的密碼。		
◎ (手動設定或其他伺服	R器類型(<u>M)</u>		
		< 上一步(B) 下一步(N) > 取消	

5) Select "POP or IMAP" and click "Next"

選擇 "POP" 或 "IMAP", 並按 "下一步"

選擇服務	卷
◎ Microsoft Exchange Server 或相容服務(M) 連線至 Exchange 帳戶以存取電子郵件、行事器、連接人、工作和語音信箱	
 Outlook.com 或 Exchange ActiveSync 相容服務(A) 連線至服務(如 Outlook.com) 以存取電子郵件、行事層、連絡人和工作 	
 ● POP 或 IMAP(P) 連線至 POP 或 IMAP 電子郵件帳戶 	
◎ 其他(Q) 連線至下列伺服器	
Fax Mail Transport	
	上一步(B) 下一步(N) >

6) Input the server information mentioned on page 1. Unclick option "Automatically test account setting when next is clicked"

輸入於第一頁提供之伺服器資料,並取消勾選"按下一步時自動測試帳戶設定"

使用者資訊			測試稿戶設定		
图的者稱公:	ESTS		我們建造您到試帳戶、以確保輸入正確。		
電子郵件地址(五)	ests@hkbn.com.hk				
四服器資訊			则就福戶設定①		
₩戶期型(<u>A</u>):	POP3			1	
为选整件伺服器①:	pop3.bbmail.com	n.hk	(時代数据存分) □(四) 1 - 四) 時回顧問知(前日的)(三〇)	1	
外書郵件伺服器(SMTP)(Q):	homegw.bbmail.c	om.hk	A Kit Outland State On		
拉入資訊			の 現有 Outlook 変形確(2)		
使用者名稱(山):	ests@hkbn.com.hk			意要(の)	
2 0 ():			1		
V 1	2住宅等(18)	- 61			
「需要使用安全密碼驗證 (SF	PA) 登入(O)				
				其他最定(MD	

7) Select More Setting, If customer using homegw.bbmail.com.hk, please select "My SMTP need requires Authentication" and input the user name & password.

If customer using smtp.bbmail.com.hk, just keep unselect the option "My SMTP need requires

Authentication"

選擇 "其他設定" 並勾選 "我的外寄伺服器需要驗證",選擇"使用下列登入"並輸入使用者名稱及密碼。



8) Go to Page "Advanced", Double check the port setting according to the server information on page 1.

Reminder: If customer no need to keep back up at the server, please kindly unselect the option "Leave a copy of message on the server". If customer keep copy on the server, please kindly remind to check your mail box usage to prevent email service affected or any extra charge.

前往 "進階" 頁面, 請檢查伺服器連接埠號碼是否與第一頁提供之資料相同。

提示:如客人無需保留郵件備份到伺服器,請取消選擇"在伺服器保留一份郵件複本"。如客人選擇保留 複本於伺服器,敬請定時檢查郵箱空間的使用情況,避免因郵箱超載而導致電郵服務受影響或產生額外 的收費。

POP HI IMAP	網際網路製件設定		×	米
WE VIE HISTICE	一般 外婆伺服器 豐聯			47
使用 客资訊 您的名味(Y): 電子聚牛地址(E): 内服器資訊 城戶類型(A): 內述聚牛相服器(SMT 整入資訊 使用者名稱(J): 密碼(P):	 回脱器導接場整調 内透伺服器 (POP3)(0: 110 使用强調 一 此间筋器局要加差接線 (SSU)(2)(Ple 分麦伺服器 (SMTP)(2): 465 使用下列加速速線調型(2): 第 成 "」 長 1分 第 短 "」 長 1分 第 型 在间接器上保留一份影件镶本(2) 図 超端下列天教後就從伺服器等時(2): 記 役 「影除的影件」中修除時必伺服器移 	ase √ if 995) ase √ if 995 is 14 ⊕ ⊼ 14 ⊕ ⊼	usec)	#夏(3)
一 希要使用安全定可			x	治設定(<u>M</u>)
	L		4 × ±-#	b)(F-\$(N>) [R#]

9) Click Next to finish the setting.

按"下一步"完成設定.

更用者資訊			测试帐户设定		
目的名稱①:	ESTS		我們建議您到試帳戶,以確保輸入正確,		
電子郵件地址(直):	ests@hkbn.com.hk				
服務資訊			勤試帳戶驗定(D		
(戶類型(A):	POP3				
内地影件伺服器(1):	pop3.bbmail.com.hk		□ (〒 (1-2) 時日型 司以称戸政(2(5))		
★春菜(牛伺祭器 (SMTP)(Q):	homegw.bbmail.com.h	hk	●新聞 Outlook 密封欄(M)		
臣入遺訊			○ 現有 Outlook 資料權(2)		
見用者名稱(U):	ests@hkbn.com.hk			影響(S)	
2碼(型):	*******				
IV 1	2住憲碼(13)				
「骨要使用安全容碍驗證 (SF	A) 登入(Q)				
				其他段芝(<u>M</u>)—	

Thunder Bird

1) Open Thunderbird, select "Account Settings > Account Actions > Add Mail Account" 開啟 Thunderbird 選擇 "帳戶設定 > 帳戶操作 > 新增電子郵件帳戶"

Add Mail Account					
Add <u>C</u> hat Account					
Add <u>F</u> eed Account					
Add <u>N</u> ewsgroup Account					
Set as <u>D</u> efault					
Remove Account					
<u>A</u> ccount Actions	\sim				

2) Input Your full name, Email address & Password and tick Remember Password Checkbox, Then Press Configure manually

輸入您的全名,電子郵件名稱以及密碼,勾選記住密碼後按手動設定""

Set Up Your Existing Email Address

To use your current email address fill in your credentials.

Thunderbird will automatically search for a working and recommended server configuration.

V CII		
Your full name		
ESTS		(i)
Email address		
ests@hkhn.com.hk		(i)
Password		
•••••		Ø
		,
✓ Remember password		
Conformer and the	Connect	Continue
Configure manually	Cancel	Continue



Your credentials will only be stored locally on your computer.

4) Fill in the server information according to the details on page 1 & 2.

輸入於第一頁或第二頁提供之伺服器資料,並按"完成"

Annual configuration			Manual configuration	
Protocol:	POP3	~	Protocol:	IMAP 🗸 🗸
Hostname:	pop3.bbmail.com.hk		Hostname:	imap.bbmail.com.hk
Port:	110 🔶 (Or 995)		Port:	993
Connection security:	None (Or SSL/TLS)	~	Connection security:	SSL/TLS V
Authentication method:	Normal password	~	Authentication method:	Normal password $$
Username:	ests@hkbn.com.hk		Username:	ests@hkbn.com.hk
OUTGOING SERVER			OUTGOING SERVER	
Hostname:	homegw.bbmail.com.hk		Hostname:	homegw.bbmail.com.hk
Port:	465		Port:	465 🔨
Connection security:	SSL/TLS	×.	Connection security:	SSL/TLS V
Authentication method:	Normal password	~	Authentication method:	Normal password $$
Username:	ests@hkbn.com.hk		Username:	ests@hkbn.com.hk
	Advar	nced config		Advanced confi
Re-test	Cancel	Done	Postort	Cancel Done

5) Select "I understand the risks" and press "Finish" to complete the email account setup. [For POP with no Connection Security Only]

勾選 "我了解危險性",並按 "完成" [僅適用於 POP 且沒有加密]



6) Go to Page "Server Settings", Double check the port setting according to the server information on page 1.

Reminder: If customer no need to keep back up at the server, please unselect the option "Leave a copy of message on the server". If customer keep copy on the server, please kindly remind to check your mail box usage to prevent email service affected. [For POP Only]

前往 "伺服器設定" 頁面,再次檢查伺服器連接埠號碼是否與第一頁提供之資料相同。

提示:如客人無需保留郵件備份到伺服器,請取消選擇 "不刪除伺服器上的郵件"。如客人選擇保留郵件 於伺服器,敬請定時檢查郵箱空間的使用情況 [僅適用於 POP]

✓	Server Sett	tings					
Server Settings	Sanuar Tunai	DOD Mail S	anior				
Copies & Folders Composition & Addressing	Server Name: pop3.bbmail.com.hk					110	Default: 110
Junk Settings Disk Space End-To-End Encryption	User Name:	ests@hk	bn.com.hk			(Or 995)
Return Receipts	Security Sett	tings					
✓ □ Local Folders	Connection se	curity:	None (Or SSL/TLS)	~			
Junk Settings Disk Space Outgoing Server (SMTP)	Authentication	method:	Password, transmitted insecurely	~			
	Server Settin	ngs					
	Check for r	new messa	ges at startup				
	Check for r	new messa	ges every 10 🔪 minutes				
	Automatica	ally downlo	ad new messages				
	Fgtch head	lers only					
	Leave mes	sages on s	erver				
	Fgr at r	most	t 🔾 days				
	🛄 Until I g	delete them	10				

Mobile - iPhone (iOS 16.5 or After)

1) Go to "Setting"

前往 "設定"



2) Go to "Mail"

前往"郵件"



3) Click "Add Account"

選擇"帳戶">"加入帳戶"

帳户	
iCloud iCloud雲碟、通訊錄、健康、相片、銀包	>
Outlook 郵件	>
HKBN 郵件	>
加入帳户	>

4) Select "Other"

選擇 "其他"

く帳	户 加入帳户
	lCloud
	Microsoft Exchange
	Google
	YAHOO!
	Aol.
	Outlook.com
	其他

5) Select "Add Mail Account "

選擇"新增郵件帳戶"

郵件	
新增郵件帳户	>
通訊錄	
新增LDAP帳户	>
新增CardDAV帳户	>
日曆	
新增 CalDAV 帳户	>
新增已訂閱的日曆	>

6) Input your Name, Email Address and Password.

輸入你的名稱, 電郵地址及電郵密碼

取消	新增帳户	下一步
名稱	Test	
電郵	test@hkbn.com.hk	
密碼	•••••	
描述	hkbn.com.hk	

7) Choose POP3 or IMAP depending on User's Requirement

視乎用戶需求,選擇 POP3 或 IMAP

取消		新增帳户	下一刻	步
	IMAP		РОР	

8) Input the incoming & outgoing server information according to page 1 and Select Next to complete the setting.

輸入於第一頁提供之伺服器資料,並按下一步

Example 1: using pop3.bbmail.com.hk

Example 2: using imap.bbmail.com.hk

收件伺服器		收件伺服器	
主機名稱	pop3.bbmail.com.hk	主機名稱	imap.bbmail.com.hk
用户名稱	test@hkbn.com.hk	用户名稱	test@hkbn.com.hk
密碼	•••••	宓尫	
		省调	
寄件伺服器			
主機名稱	homegw.bbmail.com.hk	寄件伺服器	
用户名稱	test@hkbn.com.hk	主機名稱	homegw.bbmail.com.hk
密碼	•••••	用户名稱	test@hkbn.com.hk
		密碼	••••••

驗證 iPhone **電郵**設定是否正確 (Verification for iPhone Setting)

1) Go to "Setting"

前往 "設定"



2) Go to "Passwords & Accounts

前往"郵件"

20:	27		
<		靜態背景	
Ŷ	密碼與帳户		>
	郵件		>
	通訊錄		>
	日暦		>

3) 選擇新增的電子郵件帳戶

Select your new added email account.

bbmail.com.hk 郵件	>
HKBN 郵件	>
加入帳户	>
取得新資料	推送 >
選擇"帳戶" elect "Account"	
IMAP	
帳户	>
── 郵件	
備忘錄	
刪除帳户	
	bbmail.com.hk 郵件 HKBN 郵件 加入帳户 取得新資料 選擇"帳戶" etet "Account" IMAP 帳户 補忘錄 開除帳户

4) 選擇" 進階"

Select "Advanced"

收件伺服器	
主機名稱	imap.bbmail.com.hk
用户名稱	
密碼	••••
寄件伺服器	
SMTP	homegw.bbmail.com.hk >
進階	>

4) 在收件設定"伺服器傳輸埠"一欄檢查是否使用 110, 995 或 993 傳輸埠 (視乎使用那種收件伺服器) Confirm using Port 110, 995 or 993 at Incoming Mail Settings (Depends on Which Incoming Server used)

收件設定	
使用SSL	
記證	密碼 >
IMAP路徑前置碼 /	
伺服器傳輸埠 993	

5) 選擇左上角"帳戶", 並選擇畫面中 SMTP 一欄

Select Account at top left corner, and click SMTP in Outgoing Server Menu

收件伺服器	
主機名稱	imap.bbmail.com.hk
用户名稱	
密碼	••••
寄件伺服器	
SMTP	homegw.bbmail.com.hk >
進階	>

6) 選擇主要伺服器

Select 'Main Server'

< 帳户 SMTP		
ナ 西 (二) 10 19		
土安问服品		
homegw.bbmail.com.hk	開啟	>
其他SMTP伺服器		
smtpo.hkbn.net	關閉	>
加入伺服器…		>
如果「郵件」無法使用主要伺服器,將繼續嘗試的 SMTP伺服器。	使用其他	

7) 在寄件設定"伺服器傳輸埠"一欄檢查是否使用 465 傳輸埠

Confirm using Port 465 at Outgoing Mail Settings

寄件伺服器		
主機名稱	homegw.bbmail.com.hk	
用户名稱		
密碼	••••	
使用 SSL		
認證		密碼 >
伺服器傳輸	埠 465	

Android Phone (Android 7.0 Nougat or After)

1) 進入設定,並選擇帳戶

Select Settings, and click Accounts

8	帳戶	>
	應用程式	>
~	權限	>
	記憶體及存儲裝置	>
Ī	電池	>

2) Select "Add Account"

選擇 "新增帳戶"

≡	帳戶	:
G	Google	>
	新增帳戶	

3) 選擇"電子郵件"

Select "Email Account"

M	個人 (IMAP)	>
Μ	個人 (POP3)	>
:::	公司	>
	電子郵件	>

4) Input your Email Address and Password.

輸入你的電郵地址及電郵密碼



5) Choose POP3 or IMAP depending on User's Requirement

視乎用戶需求,選擇 POP3 或 IMAP

7) Input the incoming server information according to page 1 and Select Next to complete the setting.

輸入於第一頁提供之收件伺服器資料,並按下一步

Example 1: using pop3.bbmail.com.hk

Example 2: using imap.bbmail.com.hk

S (接受所

伺服器	伺服器
non2 hhmail ann hk	imap.bbmail.com.hk
pop3.bbmail.com.nk	連接埠
連接埠	993
110 Or 995	安全性類型 SSL/
安全性類型 SSL/TLS (接受所 (0r) 無)	XTEME
F9 AGA BALJ	IMAP 路徑字首
從伺服器中刪除電子郵件 永不 >	選用
上一步下一步	上一步

8) Input the outgoing server information according to page 1 and Select Next to complete the setting.

輸入於第一頁提供之外寄伺服器資料,並按下一步

← 設定帳戶		用戶名稱	
SMTP 伺服器		test@hkbn.com.hk	
homegw.bbmail.com.hk		密碼	
連接埠			Ø
465			
安全性類型	SSL/TLS (接受所 有憑證) 〉	上一步下一步	
✔必須登入		\triangleleft \bigcirc \Box	

1) 點選郵件,並選擇加入帳號 Select Mail, then click add account.

關於郵件	
偏好設定… 帳號…	ж,
加入帳號…	
服務	•
隱藏郵件	жн
隱藏其他	∼жн
顯示全部	
結束郵件	жQ

2) 選擇其他郵件帳號,並點選繼續 Select Other Mail Account and click next



3) 填寫名稱,電子郵件位址以及密碼,並點選登入

Input your Email Name, Email address & Password and click login.

2 加入「郵件」帳號 若要開始,講填寫下列資訊:			
名稱:	My Email		
電子郵件位址:	test@hkbn.com.hk		
密碼:	•••••		
取消	返回登入		

 4) 填寫使用者名稱(等同電子郵件位址),並按照以下範例填寫伺服器資料,並點選登入 Input Username (Same as your email address), then input incoming & outgoing server as example below, then click Login.

範例 1: 使用 POP3 & homegw.bbmail.com.hk 作為收件&寄件伺服器

Example 1: Using POP3 & homegw.bbmail.com.hk as incoming & outgoing server.

电于如1+11111:	test@nkbn.com.nk
使用者名稱:	test@hkbn.com.hk
密碼:	•••••
帳號類型:	(POP 0
收件伺服器:	pop3.bbmail.com.hk
寄件伺服器:	homegw.bbmail.com.hk
取油	版回 · 登入

範例 2: 使用 IMAP & homegw .bbmail.com.hk 作為收件&寄件伺服器

Example 2: Using IMAP & homegw .bbmail.com.hk as incoming & outgoing server.

電子郵件位址:	test@hkbn.com.hk
使用者名稱:	test@hkbn.com.hk
密碼:	•••••
帳號類型:	(IMAP 0
收件伺服器:	imap.bbmail.com.hk
寄件伺服器:	homegw.bbmail.com.hk
取消	返回登入

Mail App Verification on Mac OS X 10.13.6 High Sierra

1) 點選郵件,並選擇偏好設定 Select Mail, and then click Preferences

關於郵件	
偏好設定… 帳號…	₩,
加入帳號…	
服務	•
隱藏郵件 隱藏其他 顯示全部	日光 日第フ
結束郵件	жQ

 點選伺服器設定 Select Server Settings

帳號資訊	信箱動作	伺服器設定
------	------	-------

 3) 勾選"自動管理連線設定",或按照下列表格檢查連接埠,認證及使用 TLS/SSL 三部分資料是否正確 Remove Checkbox of Automatically manage connections settings, then verify settings according to below table

Incoming Server (Special Setup For Mac Only)		
pop3.bbmail.com.hk imap.bbmail.com.hk		
連接埠(Port): 110	連接埠:143/993	
認證(Verification): 密碼/Password	認證(Verification): 密碼/Password	
使用 TLS/SSL: 是/Yes	使用 TLS/SSL: 是/Yes	

範例 1: 使用 pop3.bbmail.com.hk 作為收件伺服器

Example 1: Using pop3.bbmail.com.hk as incoming server.

(國) CS3.inc.cor 福敏復用 (Cloud) (伊和密碁 (POP) (注用者名稱 : ests@ 密語 : •••• 主場名稱 : pog3.bb 自動算 通識: 昭福 道牌: 110 認識: 密語 通動算 建橋第 : (現有名稱 : ests@ (使用者名稱 : ests@ 主場名稱 : homegw	信箱動作 伺服器設定 hkbn.com.hk
iCloud 软件伺服器 (POP) 使用者名稱: 全話\$ 注機名稱: pop3.bb 建糖名稱: 10 邊證: 10 邊證: 2.8% 強捷: 10 邊證: 2.8% 資子中國嚴者 (SMTP) 「使用者名稱: ests@ 使用者名稱: ests@ 使用者名稱: ests@ 進揚: • ● 建場名稱: •	hkbn.com.hk
IMAP 使用者名稱: ests@ 密碼:	hkbn.com.hk
 密碼: 主機名稱: pop3.bt 自動智 邊接埠: 110 認證: 密碼: 密告: 電話: 電話: 電話: 電話: 電話: 正機名稱: ests@ 主機名稱: homegy 	
主機名稱: pop3.bt 自動智 違接埠: 110 認證: 密碼 進路 [密碼 推測 [寄件伺服器 (SMTP) 候號: ests@ 使用者名稱: ests@ 密碼 主機名稱: homegw	
□ 自動智 違接埠: 110 認證: 密碼 進速: 116 違接端: 密碼 進速: 116 違法: 116 』 二 二 二 二 二 二 二 二 二 二 二 二 二	mail.com.hk
 邊接埠: 110 認證: 密碼 建酒: fr 寄件伺服器 (SMTP) 橫號: ests@ 使用者名稱: ests@ 密碼: 主機名稱: homegw 	管理連線設定
認證: 密碼 建證: (著件伺服器 (SMTP) 模號: ests@ 使用者名稱: ests@ 密碼: ••••• 主機名稱: homegw	✓ 使用 TLS/SSL
建建 f; 者件伺服器 (SMTP) 候號: ests@ 使用者名稱: ests@ 密碼: ests@ 主機名稱: homegw	0
 寄件伺服器 (SMTP) 倾號: ests@ 使用者名稱: ests@ 密碼: 主機名稱: homegw 	POP」設定
 - (病號: ests@ (使用者名稱: ests@ 密碼: •••• 主機名稱: homegw 	
(使用者名稱: ests@ 密碼: •••• 主機名稱: homegw	hkbn.com.hk 0
密碼: •••• 主機名稱: homegw	
主機名稱: homegw	hkbn.com.hk
() n #4	hkbn.com.hk
H \$60 E	hkbn.com.hk
連接埠: 465	hkbn.com.hk //bbmail.com.hk 評理連線設定
認證: 密碼	hkbn.com.hk kbmail.com.hk 程理線設定 ⑦ 使用 TLS/SSL
	hkbn.com.hk kbmail.com.hk 程理線設定 ⑦ 使用 TLS/SSL 章
+ -	hkbn.com.hk kbmail.com.hk 程理建線設定 ⑦ 使用 TLS/SSL 章

範例 2: 使用 homegw.bbmail.com.hk 作為寄件伺服器

Example 2: Using homegw.bbmail.com.hk as outgoing server.

寄件伺服器	(SMTP)	
帳號		0
使用者名稱	: test@hkbn.com.hk	
密碼		
主機名稱	: homegw.bbmail.com.hk	
	自動管理連線設定	
連接埠	: 465	✓ 使用 TLS/SSL
認證	: 密碼	٥
		儲存