

## **iMonitor Service**

## **User Guide**

(Version 2.1)

HKBN Enterprise Solutions is the brand / trading name of HKBN Enterprise Solutions Limited and/or HKBN Enterprise Solutions HK Limited

# **Table of Contents**

1.1	Portal Login	4
1.2	Utilization Reports	5
1.3	Change Password	9

### iMonitor

iMonitor provides real-time network Utilization reports via a web-based network monitoring interface to keep your network performance monitored closely.

The report data is updated every 5 minutes with hourly, daily, weekly, monthly, yearly, and even customized performance reports to address your record-keeping and reporting needs.

We do support most of the common browsers, including:

- ✓ Microsoft Edge
- ✓ Internet Explorer
- ✓ Firefox
- ✓ Chrome
- ✓ Safari

This user guide will give interpretations on how iMonitor functions.

Please contact our Customer Services Hotline at (852) 128-180 for any further assistance required.

### 1.1 Portal Login

 iMonitor (https://imonitor.hkbnes.net) username and password can be found on iMonitor Service Activation Notification which has been sent to you upon successful application.

iMonitor		
Login Username:		
Password:		

2. After log in, the below page shall be seen.

Performance Analysis Change Password	) Logout
Performance Analysis	
Performance Analysis	
<pre>i&lt; &lt;&lt;  Page 1 of 0   ⇒&gt; &gt;i</pre>	

3. You are recommended to change the password after your first log in. Please refer to Section 1.3 for more details.

#### **1.3 Utilization Reports**

- 1. To retrieve relevant circuit, you may:
  - (a) Click I / I to maximize / minimize the relevant circuit list respectively, or
  - (b) Enter the **Keyword** (for either the Circuit ID or Customer Label) and click **Search**.

Performance Analysis Change Password 😨 Log	out
Performance Analysis	
Customer 950 Ltom ? Utilisation Availability Jitter Latency Packet loss	
Keyword (Optional) Search D	
Customer Label Circuit ID Edit	
e Metro Ethernet	ן ור
Broadband Last Update: 2017-06-19 15:20 Start Time: 2017-05-20 17:00 End Time: 2017-06-19 17:00 1.3	
7630(2000) 7	
11	
u 07-	
8 8 8	
§ 0.5	
May 21 May 24 May 27 May 30 Jun 02 Jun 05 Jun 10 Jun 14 Jun 17	
■ In Current: 0.056 Mbps Average: 0.062 Mbps Max: 0.964 Mbps Min: 0.000 Mbps	
■ CMR Current, C.CUT Wupps Average: U.UT3 Wopps Nask, 1.143 Mopps Mill, U.UU2 Mops	
is at Page 1 of 1 be bi	-1
	_

2. (Optional) Click 💷 to Edit Customer Label.



- 3. Select the circuit on the left, corresponding Chart will be shown on the right.
- 4. There are 6 types of reports available:
  - i) Hourly iv) Monthly
  - ii) Daily v) Yearly
  - iii) Weekly vi) Customize

Click the tab to check them out accordingly.

#### **iMonitor Service**







#### **iMonitor Service**







5. A range of line colors is also available for selection.



- 6. Click (2) to **Refresh** whenever required.
- 7. Other than Chart, data may also be retrieved in Table/ CSV/ PDF format:

Last Update : 2014-03-23 00:00 Start Time : 2014-03-16 00:00 End Time : 2014-03-23 00:00	Current In : Min In : Max In :	0.027 Kbps Out : 0.0 0.020 Kbps Out : 0.0 77.389 Kbps Out : 8.9	34 Kbps 14 Kbps 96 Kbps
Timestamp		Average In (Kbps)	Average Out (Kbps)
Sat Mar 22 00:00:00 HKT 2014		0.117	0.24
Sat Mar 22 00:05:00 HKT 2014		0.041	0.079
Sat Mar 22 00:10:00 HKT 2014		0.029	0.042
Sat Mar 22 00:15:00 HKT 2014		0.075	0.096
Sat Mar 22 00:20:00 HKT 2014		0.163	0.421
Sat Mar 22 00:25:00 HKT 2014		0.028	0.043
Sat Mar 22 00:30:00 HKT 2014		0.250	0.38
Sat Mar 22 00:35:00 HKT 2014		0.027	0.061
Sat Mar 22 00:40:00 HKT 2014		0.156	0.17
Sat Mar 22 00:45:00 HKT 2014		0.072	0.093
Sat Mar 22 00:50:00 HKT 2014		0.246	0.798
Sat Mar 22 00:55:00 HKT 2014		0.061	0.113
Sat Mar 22 01:00:00 HKT 2014		0.039	0.07
Sat Mar 22 01:05:00 HKT 2014		0.028	0.065



Hourly Utilisation Report
Customer Name: test Report Generation Date: 2014-03-27 16:36

### 1.4 Change Password

1. For security reason, you are recommended to change the password periodically.

Performance Analysis Change Password	2	Logout
hange Password		
Old password New password Password Restrictions : 1) at least 4 valid characters consisting of digits or letters; 2) No special characters, symbols or space. Confirm password Submit Reset		